



473 Roland Way, Suite A
 Oakland CA, 94621
 Phone: (800) 658-0955
 Fax: (877) 398-5279
 Web: www.steephilllab.com


Medical Cannabis Certificate of Microbiological Analysis

Customer Name:	Cali Gold Bars	Lab Sample ID:	S155034	Intake Date:	6/10/2015
Customer Sample ID:	5.28.15	Sample Type:	Edible	Report Date:	6/13/2015
Strain/Name:	Sour Diesel Chocolate Bar 250mg - 5.28.15	Sample Test Weight in Grams:	1.1779	Exp date:	7/13/2015

Sample Rating



Yeast and Mold CFU/g



Results	SCORE
Mold CFU/g	0 4 Stars
Yeast CFU/g	0 4 Stars
TOTAL	4 Stars

Star ratings are based on United States Pharmacopeia, National Science Foundation, World Health Organization and European Pharmacopeia microbial limits for non-sterile products and are not necessarily related to safe consumption levels for cannabis. Steep Hill Lab is not responsible in the case of adverse reactions from consumption.

Mold: Filamentous fungi whose presence may cause health issues especially in immune compromised patients

Yeast: Presence has not been shown to have adverse health effects

Test results are determined using USP Method 61 for Mold and Yeast.

Score	Mold	Yeast
4 Stars	0-1,000	0-100,000
3 Stars	1,001-10,000	100,001-1,000,000
2 Stars	10,001-100,000	1,000,001-10,000,000
1 Stars	100,001-200,000	10,000,001-100,000,000
*Heavy Contamination	> 200,000	100,000,001